From the INTERNATIONAL PRELIMINAL EXAMINING AUTHORITY



PCT

Ø

To:

JÖNSSON, Hans-Peter

VON-KREISLER-SELTING & WERNER

Deichmannhaus am Dom

D-50667 Köln ALLEMAGNE Dom

Avk Sg W Da Hi HPJME IW JH KB

0 6. JAN. 2005

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing

(day/month/year)

04.01.2005

Applicant's or agent's file a 032631wo HPJ/ko

IMPORTANT NOTIFICATION

International application No.

International filing date (day/month/year)

Priority date (day/month/year)

PCT/EP 03/13222 25.11.2003

29.11.2002 .

Applicant

CROMPTON GMBH et al.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices:

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:

Fax: +49 89 2399 - 4465

<u>)</u>

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Authorized Officer

Ladurner, Y

Tel. +49 89 2399-7913



FATENT COUPERATION THEATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applican 032631		gent's file reference IPJ/ko	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)						
International application No. PCT/EP 03/13222			International filing date (25.11.2003	(day/mon	Priority date (da 29.11.2002	Priority date (day/month/year) 29.11.2002			
Internation C07C6		tent Classification (IPC) or be	oth national classification a	and IPC					
Applicant CROMI		GMBH et al.	. 4		•				
1. Th	is inte thority	rnational preliminary examenational preliminary examenated to the	nination report has been applicant according to a	n prepar Article 3	ed by this Into 5.	ernational Prelimi	nary Examining		
2. Thi	is REF	PORT consists of a total o	f 5 sheets, including th	is cover	sheet.				
. 🛛	bee	s report is also accompan en amended and are the b e Rule 70.16 and Section	asis for this report and	br sheet	s containing r	ectifications mad	drawings which have e before this Authorit		
The	ese an	nexes consist of a total of	6 sheets.						
					•	•			
			•			-			
3. This	s repo	rt contains indications rela	ating to the following ite	ms:	•		•		
1	\boxtimes	Basis of the opinion			•				
II	. 🗆	Priority							
111		Non-establishment of op	ninion with regard to no	velty inv	vantiva stan a	nd industrial ann	licability		
IV		Lack of unity of inventio		verty, iii	remive step a	no moustrial app	licability		
V	Ø	Reasoned statement un citations and explanatio	der Rule 66.2(a)(ii) with	n regard ement	to novelty, in	ventive step or in-	dustrial applicability;		
VI		Certain documents cited					•		
VII		Certain defects in the in	ternational application						
VIII		Certain observations on	the international applic	ation			the signer		
Date of sub	missio	n of the demand		Date of or	ompletion of thi	c ronad			
			- [-a.c or c	picaon or th	o report			
05.05.20	04		(04.01.2005					
Name and in preliminary	exami	address of the international ning authority:	. /	Authorize	d Officer		. gestitenes Petentenny		
<u></u>	D-8	opean Patent Office 0298 Munich	F	3reimai	er. W		<u> </u>		
		+49 89 2399 - 0 Tx: 523656 : +49 89 2399 - 4465	epmu d			000 5007	\ <u>\</u>		
		* * • •	1	cichinous	No. +49 89 23	ココン・シンと!	Store and		

Form DOTABEA / 400 / Count Chart / 11---- 000

10/536869

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

I. Basis of the report

JC20 Rec'd PCT/PTO 2 7 MAY 2005,

. International application No. PCT/EP 03/13222

				•					
•		ie receiving Office in r	esponse	e to an invitation und	ler Article 14 art	cement sheets which e referred to in this rep dments (Rules 70.16 a	have been furnished toort as "originally filed and 70.17)):		
	D	escription, Pages			·				
	1-	34	-	as originally filed	-				
	C	aims, Numbers				. Active case a			
	1-	19		received on 14.12.	.2004 with letter	of 08.12.2004			
2	l. W lar	ith regard to the lang u nguage in which the in	uage, all Iternation	I the elements markenal application was t	ed above were a filed, unless oth	available or furnished erwise indicated unde	to this Authority in the r this item.		
	These elements were available or furnished to this Authority in the following language: , which is:								
		the language of a tr	anslatior	n furnished for the p	urposes of the i	nternational search (u	inder Rule 23.1(b)).		
		the language of pub			•				
			anslation			national preliminary e	xamination (under		
3.	. Wi inte	th regard to any nucle ernational preliminary	eotide a examina	nd/or amino acid sation was carried ou	equence disclo t on the basis o	sed in the international fithe sequence listing:	al application, the		
	. 🗆	contained in the inte	rnationa	al application in writte	en form.				
		filed together with th	e interna	ational application in	computer read	able form.	*		
		furnished subseque	ntly to th	is Authority in writte	n form.	•			
		☐ furnished subsequently to this Authority			y in computer readable form.				
		The statement that to in the international a	he subse pplicatio	equently furnished von as filed has been	vritten sequence furnished.	e listing does not go b	eyond the disclosure		
		The statement that t listing has been furn	he inforr ished.	nation recorded in c	omputer readab	ple form is identical to	the written sequence		
4.	The	amendments have r	esulted i	n the cancellation of	f:				
٠.٠		the description,	pages:			-			
		the claims,	Nos.:						
		the drawings,	sheets:		• .				
5.		This report has been been considered to g	establis Jo beyon	shed as if (some of) and the disclosure as	the amendment filed (Rule 70.2)	s had not been made (c)).	, since they have		
		(Any replacement sh report.)	eet cont	aining such amendr	ments must be r	eferred to under item	1 and annexed to this		
6.	Add	itional observations, i	necess	ary:					



International application No. __PCT/EP 03/13222

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-17

No: Claims

18, 19

Inventive step (IS)

Yes: Claims

No: Claims

1-17

Industrial applicability (IA)

··Yes: Claims

1-19

No: Claims

2. Citations and explanations

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

D1: US-A 0052462

D2: Pat. Abstr. Jp., JP-A 06248060, cited on page 1, line 11

clarity (Art. 6 PCT) Claim 1 on file is not clear because the subject-matter as claimed embraces compounds which do not exist, in particular the attention is drawn to formulae II to IV with X=P (for example formula (II) with m, n=1 defines the compound "PMe").

novelty

a. The subject-matter according to claims 1 to 17 is novel in the sense of Art. 33(2) PCT.

None of the documents of the available prior art discloses catalytic compositions as claimed in claim 1. D1 as well as D2 describe the formation of polyesters useful for eg films having good mechanical properties, good color tone and excellent thermal stability in the presence of a catalytic composition composed of a Sn catalyst and a phosphorus compound (see D1, parapraph [0064-0067, 0079, 0093, claims 1, 3] and D2 with Sn/HMPA).

Thus, claims 1 to 17 are novel.

b. The subject-matter according to claims 18 and 19 is not novel in the sense of Art. 33(2) PCT.

A product-by-process claim is interpreted as a claim directed to the procuct per se, since the reference to the production serves only the purpose of defining the subject-matter for which protection is sought, which remains the product per se which itself must be new and inventive. To establish novelty, it is necessary that the modification of the preparation process results in other products, i.e. in products unambiguously showing distinct physical/chemical properties vis-à-vis the closest state of the art products of D1. This requirement is at present not fulfilled by the application as it stands and novelty cannot be acknowledged.

inventive step

The subject-matter according to claims 1 to 17 seems not to be inventive (Art. 33(3) PCT).

In view of the closest state of the art D1, the problem posed is the provision of better catalytic compositions suitable for catalyzing esterifications etc for making polyesters. This problem is solved by the catalytic compositions according to claim 1 with X=P. In the examples catalytic compositions containing a Sn catalyst and a phosphorous compound as co-catalyst have been tested (see catalytic mixtures a) to g), table 1). However, no better effect is shown versus the catalytic composition known from D1 (see [0065], lines 8 and 9 and [0068]) which is considered to be structurally close with the claimed Sn-compositions containing a compound II with X=P. In the absence of these data, an inventive step cannot be assessed.

In the case of providing alternative catalytic Sn-compositions containing a compound II with X=N, Si, Cl, Br, I or S it is noted that at present no experimental data are available which would show that these catalytic compositions indeed solve the problem posed. Thus, in the absence of experimental data over the whole area as claimed, an inventive step cannot be assessed.

further remarks

- a. The document D1 is not cited in the description.
- b. The description is not adapted to the claims.

1 0010222

PCT/EP03/13222

HPJ/RC/ko

08 December 2004

Crompton GmbH

CLAIMS:

1. Catalytic composition for esterification, transesterification and polycondensation reactions containing a mixture of at least one organotin compound (compound I) of the general formula (I):

(formula I)

wherein

- R1 is selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, aryl groups having 1 to 40 carbon atoms, or substituents selected from the group: -X-R^A, wherein R^A is -CN, -COOH, -COO-methyl, -COO-ethyl, -COO-n-propyl, -COO-iso-propyl, -COO-n-butyl, -COO-2-butyl, -COO-iso-butyl, -COO-tert-butyl, -COO-n-pentyl, -COO-isopentyl, -COO-neo-pentyl, -COO-tert-pentyl, -COO-hexyl, -COO-heptyl, -COO-n-octyl, -COO-iso-octyl, -COO-2-ethyl-1-hexyl, -COO-2,2,4-trimethylpentyl, -COO-nonyl, -COO-decyl, -COO-dodecyl, -COO-n-dodecyl, -COO-cyclopentyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-methylcyclohexyl, -COO-vinyl, -COO-1-propenyl, -COO-2-propenyl, -COO-naphtyl, -COO-anthranyl, -COO-phenanthryl, -COO-o-tolyl, -COO-p-tolyl, -COO-m-tolyl, -COO-tolyl, -COO-ethylphenyl, -COO-mesityl, -COO-benzyl, -COO-phenyl, -COO-tolyl, -COO-tolyl, -COO-tolyl, -COO-benzyl, -COO-phenyl, -COO-cyclohexyl, -COO-benzyl, -COO-phenyl, -COO-tolyl, -COO-cyclohexyl, -COO-mesityl, -COO-benzyl, -COO-phenyl, -COO-cyclohexyl, -COO-benzyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-benzyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-phenzyl, -COO-mesityl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-cyclohexyl, -COO-phenyl, -COO-cyclohexyl, -COO-cyclohex
- R2 is selected from the groups of linear, branched or cyclic alkyl groups having
 1 to 40 carbon atoms, aryl groups having 1 to 40 carbon atoms and anionic
 ligands with O-coordination of the group selected from -O, -OH, linear, branched
 or cyclic alkyl or arylcarboxy groups having 1 to 40 carbon atoms, linear,
 branched or cyclic alkyl-, and aryl alcoholate groups having 1 to 40 carbon atoms;

• R3 and R4 independently each are selected from the groups of anionic ligands with O-coordination of the group selected from -O, -OH, linear, branched or cyclic alkyl groups or arylcarboxy groups having 1 to 40 carbon atoms, linear, branched or cyclic alkyl-, and aryl alcoholate groups having 1 to 40 carbon atoms and anions of a mineral acid selected from the group of sulphate, sulphite, phosphate, halogen- or pseudohalogen anion

and at least one compound (compound II) according to one of the formulae (II), (III) and/or (IV),

$$X_m(R')_n$$
 (Formula II)
 $O=X_m(R')_o$ (Formula III)
 $(O=)_rX_mO_p(R')_q$ (Formula IV)

wherein X is a heteroatom selected from the group consisting of N, Si, Cl, Br, I or S, and

- m is an integer from 1 to 5,
- n is an integer from 1 to 5,
- o is an integer from 1 to 5,
- p is an integer from 0 to 5,
- q is an integer from 0 to 5,
- r is an integer from 0 to 3, wherein
- R' in formula (II) denotes n different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, anyl groups having 1 to 40 carbon atoms, anionic ligands with O-coordination selected from the group of -O, -OH, linear, branched or cyclic alkyl-, and aryl alcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH₄+ or a metal ion,
- R' in formula (III) denotes o different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, aryl groups having 1 to 40, anionic ligands

with O-coordination selected from the group of -O, -OH, linear, branched or cyclic alkyl-, and arylalcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH_4^+ or a metal ion,

R' in formula (IV) denotes q different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, aryl groups having 1 to 40, anionic ligands with O-coordination selected from the group of -O, -OH, linear, branched or cyclic alkyl-, and arylalcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH_4^+ or a metal ion,

or wherein X is P and

- m is an integer from 1 to 5,
- n is an integer from 1 to 5,
- o is an integer from 1 to 5,
- p is an integer from 0 to 5,
- q is an integer from 0 to 5,
- r is an integer from 0 to 3, wherein
- R' in formula (II) denotes n different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, aryl groups having 1 to 40 carbon atoms, anionic ligands with O-coordination selected from the group of -O, -OH, linear, branched or cyclic alkyl-, and aryl alcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH₄+ or a metal ion,
- R' in formula (III) denotes o different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, anyl groups having 1 to 40, anionic ligands with O-coordination selected from the group of -O, linear, branched or cyclic alkyl-, and anylalcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH₄⁺ or a metal ion,

R' in formula (IV) denotes q different or identical groups, each being independent from each other selected from the group of linear, branched or cyclic alkyl groups having 1 to 40 carbon atoms, aryl groups having 1 to 40, anionic ligands with O-coordination selected from the group of -O, linear, branched or cyclic alkyl-, and arylalcoholate groups having 1 to 40 carbon atoms, H, Cl, Br, NH₄⁺ or a metal ion.

- 2. Catalytic composition according to claim 1, characterized in that the metal ion is selected from NH₄, Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, Zn, B, Al, Sc, Y.
- 3. Catalytic composition according to claim 1, characterized in that compound II corresponds to phosphites, phosphines, phosphonic acid esters, pyrophosphates, alkaline halogenides, earth alkaline halogenides, aluminum halogenides.
- 4. Catalytic composition according to any one of claims 1 to 3 characterized in that the molar ratio of said compound I to said compound II is in the range of 1:0.001 to 1:200, in particular 1:0,01 to 1:20.
- 5. Catalytic composition according to any one of claims 1 to 4, further containing suspension agents or solvents.
- 6. Process for the continuous or batchwise catalysis of esterification, transesterification, polyesterification, polytransesterification reactions of an alcohol and an acid or acid derivative, such as an ester, anhydride or halogenide, characterized by employing a catalytic composition according to any one of claims 1 to 5.
- 7. Process according to claim 6, characterized by employing an amount of said compound I in the range of 0.1 to 1 % by weight (as Sn), in particular 10 to 200 ppm (as Sn) in relation to the acid or ester to be reacted.

- 8. Process according to claim 6 or 7, characterized by employing a concentration of said compound II in the range of 0.0001 ppm to 1% by weight, in particular 10 to 200 ppm in relation to the acid or ester to be reacted.
- 9. Process according to any of claims 6 to 8, characterized by reacting a dicarboxylic acid or a dicarboxylic acid derivative with a divalent alcohol in a polyesterification reaction.
- 10. Process according to any one of claims 6 to 8, characterized by employing derivatives of mono-, di, or polycarboxylic acids being selected from esters or halogenides.
- 11. Process according to any one of claims 6 to 10, characterized by reacting hydroxycarboxylic acids or derivatives of hydroxycarboxylic acids in an esterification, transesterification, polyesterification or polytransesterification reaction.
- 12. Process according to claim 11, characterized by employing derivatives of hydroxycarboxylic acids being selected from esters or ethers.
- 13. Process according to any one of claims 6 to 12, characterized by employing a solvent or suspending agent being added to said compound I and/or II.
- 14. Process according to claim 13, characterized by employing an alkane mono-, di- or polyvalent alcohol as solvent or suspending agent.
- 15. Process according to anyone of claims 6 to 14, characterized by employing the same solvent and/or suspending agent during manufacturing of the catalytic composition and said esterification, transesterification, polyesterification or polytransesterification reaction.

- 16. Process according to anyone of claims 6 to 15, characterized by employing a different solvent and/or suspending agent during manufacturing of the catalytic composition and said esterification, transesterification, polyesterification or polytransesterification reaction.
- 17. Process according to claims 14 or 15, characterized by employing a solvent being selected from the group of mono-, di- or polyvalent alcohols being reacted in said esterification, transesterification, polyesterification or polytransesterification reaction.
- 18. Polyester for bottles, films, foils, yarn and/or molded padding, or resins for powder coatings or technical synthetic materials, obtainable by a process according to any one of claims 6 to 17.
- 19. Polyester or resins according to claim 18, wherein said polyester is selected from the group of polyethylene terephthalate, poly-2,2-dimethylpropyl-1,3-terephthalate, polypropylene terephthalate, polydiethyleneglycol terephthalate, polybutylene terephthalate, polynaphthalate, or polyethylene naphthalate.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☑ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.